

Message

From: Qian, Yaorong [qian.yaorong@epa.gov]
Sent: 4/5/2021 7:26:18 PM
To: Nesci, Kimberly [Nesci.Kimberly@epa.gov]; Nguyen, Thuy [Nguyen.Thuy@epa.gov]
CC: Goodis, Michael [Goodis.Michael@epa.gov]
Subject: RE: Additional testing
Attachments: Information to K&H Attorney.docx

Hi Thuy and Kimberly,

I quickly put together a one pager on some of our current plans to provide to Matt Harney, the K&H Law attorney. Please take a look to see if it is appropriate. Maybe we need to drop #5.

Thanks,

Yaorong

From: Harney, Matthew B. <harney@khlaw.com>
Sent: Monday, April 05, 2021 12:59 PM
To: Nesci, Kimberly <Nesci.Kimberly@epa.gov>; Nguyen, Thuy <Nguyen.Thuy@epa.gov>; Qian, Yaorong <qian.yaorong@epa.gov>
Cc: Goodis, Michael <Goodis.Michael@epa.gov>
Subject: RE: Additional testing

Hi folks,

Just checking in on the question below. We would really value some feedback as soon as possible.

Thanks,
Matt

Matthew B. Harney, PhD
Scientist
KELLER AND HECKMAN LLP
tel: 202.434.4126 | fax: 202.434.4646 | harney@khlaw.com
1001 G Street, N.W., Suite 500 West | Washington, D.C. 20001

Join our mailing list to receive industry specific information and invitations to seminars and webinars from Keller and Heckman LLP.

From: Harney, Matthew B.
Sent: Tuesday, March 30, 2021 3:51 PM
To: Nesci, Kimberly <Nesci.Kimberly@epa.gov>; Nguyen, Thuy <Nguyen.Thuy@epa.gov>; Qian, Yaorong <qian.yaorong@epa.gov>
Cc: Goodis, Michael <Goodis.Michael@epa.gov>
Subject: RE: Additional testing

Hi folks,

To provide a little more background, we have a client that manufactures fluorinated HDPE containers. They are considering conducting some rinse testing in light of the EPA's testing described in the memo of March 4. However, the memo states that the testing will be expanded to include different conditions such as other solvents, rinse contact times, testing temperature, etc. We realize it may still be early in the process, but we would like to know more about what kind of alternate conditions are being considered. If you have any specifics on solvents, temperatures, etc., we would be in a better position to scope out our own testing.

If it would be easier to discuss on the phone, I am currently free any time Wednesday and Thursday.

Thanks very much,
Matt

Matthew B. Harney, PhD
Scientist
KELLER AND HECKMAN LLP
tel: 202.434.4126 | fax: 202.434.4646 | harney@khlaw.com
1001 G Street, N.W., Suite 500 West | Washington, D.C. 20001

Join our mailing list to receive industry specific information and invitations to seminars and webinars from Keller and Heckman LLP.

From: Nesci, Kimberly <Nesci.Kimberly@epa.gov>
Sent: Tuesday, March 30, 2021 12:59 PM
To: Nguyen, Thuy <Nguyen.Thuy@epa.gov>; Qian, Yaorong <qian.yaorong@epa.gov>
Cc: Harney, Matthew B. <harney@khlaw.com>; Goodis, Michael <Goodis.Michael@epa.gov>
Subject: Additional testing

Hi Thuy and Yaorong,

Matt Harney at Keller & Heckman is interested in learning more about our future testing so that a K&H client can match some of that testing. He's a technical guy. Can you get back with Matt on your next steps? I know some of this is still under deliberation/discussion, based on other results and method development for some formulation types.

Best,
Kimberly

Kimberly Nesci, Director
Biological and Economic Analysis Division (BEAD)
Office of Pesticide Programs
Office of Chemical Safety and Pollution Prevention
703-969-9109 (cell)